



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/771,734	01/29/2001	Narayanan Ganapathy	MS155740.1	1188
27195	7590	05/08/2006	EXAMINER	
AMIN & TUROCY, LLP 24TH FLOOR, NATIONAL CITY CENTER 1900 EAST NINTH STREET CLEVELAND, OH 44114			HOFFMAN, BRANDON S	
			ART UNIT	PAPER NUMBER
			2136	

DATE MAILED: 05/08/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

<b>Office Action Summary</b>	Application No. 09/771,734	Applicant(s) GANAPATHY, NARAYANAN	
	Examiner Brandon S. Hoffman	Art Unit 2136	

**-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --**

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS; WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 22 February 2006.
- 2a) ☒ This action is **FINAL**.                      2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1-34 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-34 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |  |   |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892)   | 4) <input type="checkbox"/> Interview Summary (PTO-413)<br>Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                                   | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152)             |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)<br>Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____  |

### DETAILED ACTION

1. Claims 1-34 are pending in this office action.
2. Applicant's arguments, filed February 22, 2006, have been fully considered but they are not persuasive.

### *Rejections*

3. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

### ***Claim Rejections - 35 USC § 102***

4. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:
5. Claims 1, 2, 5-15, and 20-34 are rejected under 35 U.S.C. 102(b) as being anticipated by Tucker et al. (U.S. Patent No. 5,808,911).

Regarding claim 1, Tucker et al. teaches a system to facilitate secure communication, comprising:

- A communication component operative to store an outgoing message received directly from an associated process, the outgoing message including a message

key having a key value, an attribute being associated with the communication component, the attribute having selectable attribute conditions that are inaccessible by the associated process (fig. 1, ref. num 120 and 122 within domain 106 and col. 3, lines 54 through col. 4, lines 9); and

- A filter associated with the communication component, the filter controlling sending the stored outgoing message from the communication component based on the key value of the outgoing message and one of the attribute conditions (fig. 1, ref. num 122 and col. 4, lines 46-55).

Regarding claim 2, Tucker et al. teaches wherein the communication component further comprises at least one storage device operative to store messages (fig. 2, ref. num 160).

Regarding claim 5, Tucker et al. teaches wherein the message key corresponds to a key associated with another communication component that is associated with a desired destination (fig. 1, ref. num 120 and 122 within domain 108).

Regarding claim 6, Tucker et al. teaches wherein the message key is a multi-bit field for storing data identifying a key associated with a destination communication component (fig. 1, ref. num 122).

Regarding claim 7, Tucker et al. teaches wherein the filter is operative to prevent sending the outgoing message from the communication component upon detecting an invalid message key in the outgoing message (fig. 1, domain 1 is different from domain 2, each having their own Xdoor 128).

Regarding claim 8, Tucker et al. teaches wherein key data having a range of at least one key value is associated with the communication component, the key data being inaccessible by the associated process, the filter controlling transmission of the outgoing message based on the validation of the message key as a function of one of the attribute conditions and the range of at least one key value (fig. 1, ref. num 126 of domain 108, more than one FD belongs in the domain, and col. 2, lines 30-47).

Regarding claim 9, Tucker et al. teaches wherein the filter employs the attribute to define a valid range of at least one key value based on the at least one key value associated with the communication component, such that the filter provides different control in connection with a message having a message key within the valid range and a message having a message key outside the valid range (col. 2, lines 30-47 and col. 3, lines 54-65).

Regarding claim 10, Tucker et al. teaches wherein the key data identifies a plurality of key values (fig. 1, multiple FD's point to one object).

Regarding claim 11, Tucker et al. teaches wherein the filter is operative to permit whether a message having a message key in the valid range is sent from the communication component (fig. 1, ref. num 126 of domain 108, more than one FD belongs in the domain, and col. 2, lines 30-47).

Regarding claim 12, Tucker et al. teaches a system to facilitate secure communication between at least two processes, comprising:

- A first queue operative to store a request received directly from a first of the at least two processes and, upon validation of the stored request, to send the stored request to a second of the at least two processes, the stored request including a destination address and a key having a key value (fig. 1, ref. num 122 and col. 4, lines 46-55 and fig. 1, ref. num 102A and 102B); and
- An interface operative to validate the stored request based on the key value of the stored request relative to at least one predetermined key value associated with the first queue, the at least one key value associated with the first queue being unavailable to the first process (fig. 1, ref. num 120 and 122 within domain 106 and col. 3, lines 54 through col. 4, lines 9).

Regarding claim 13, Tucker et al. teaches further comprising an attribute associated with the first queue, the attribute defining a valid range of key values based on the at least one key value associated with the first queue to control sending stored requests from the first queue (col. 3, line 66 through col. 4, line 9).

Regarding claim 14, Tucker et al. teaches wherein the attribute has selectable attribute conditions that are unavailable to the first process and the valid range of message keys varies as a function of the attribute conditions and the at least one key value associated with the first queue (col. 3, line 66 through col. 4, line 9).

Regarding claim 15, Tucker et al. teaches wherein the at least one key value associated with the first queue further comprises a plurality of key values associated with the first queue and unavailable to the first process (fig. 1, multiple FD's point to one object).

Regarding claim 20, Tucker et al. teaches wherein the interface is operative to prevent sending the request from the first queue if the request includes an invalid key (col. 3, lines 54-65).

Regarding claims 21, 28, and 34, Tucker et al. teaches a system/method/computer readable medium to facilitate secure communication between at least two user-level processes, comprising:

- Storage means for storing an outgoing message received from a first of the at least two processes, the outgoing message including a message key associated with a destination, an attribute being associated with the storage means, the attribute having selectable attribute conditions unavailable to user-level

processes (fig. 1, ref. num 120 and 122 within domain 106 and col. 3, lines 54 through col. 4, lines 9); and

- Control means for controlling sending of the stored outgoing message from the storage means based on the message key and one of the attribute conditions (fig. 1, ref. num 122 and col. 4, lines 46-55).

Regarding claim 22, Tucker et al. teaches further comprising validation data associated with the storage means and unavailable to user-level processes, the control means controlling sending of the outgoing message based on the validation of the message key as a function of the attribute and validation data (col. 3, line 66 through col. 4, line 9).

Regarding claim 23, Tucker et al. teaches wherein the validation data comprises at least one key value (fig. 1, multiple FD's point to one object).

Regarding claim 24, Tucker et al. teaches wherein control means is operative to control whether the stored message can be sent from the storage means based on the message key relative to a valid range of key values, which varies as a function of one of the attribute conditions and the validation data (fig. 1, domain 1 is different from domain 2, each having their own Xdoor 128 and col. 2, lines 30-47).



Regarding claims 25 and 29, Tucker et al. teaches a system/computer readable medium to facilitate secure communication between at least two user-level processes, comprising:

- Storage means for storing a request received directly from a first of the at least two processes and, upon validation of the stored request, for sending the stored request to a second of the at least two processes, the stored request including a key having a key value (fig. 2, ref. num 160 and fig. 3A, ref. num 174 to fig. 3B, ref. num 174 and col. 8, lines 22-47); and
- Validation means for validating the stored request based on the key value of the stored request relative to at least one predetermined key value associated with the storage means, the at least one key value associated with the storage means being unavailable to user-level processes (col. 3, line 66 through col. 4, line 9 and fig. 2, ref. num 154).

Regarding claim 26, Tucker et al. teaches further comprising an attribute associated with the storage means, the attribute defining a valid range of key values based on the at least one key value associated with the storage means, the validation means controlling sending stored requests from the storage means according to the valid range of key values (col. 3, line 66 through col. 4, line 9).

Regarding claim 27, Tucker et al. teaches wherein the attribute has selectable attribute conditions that are not available to user-level processes, the valid range of key

Art Unit: 2136

values varying as a function of the attribute conditions and the at least one key value associated with the storage means (col. 3, line 66 through col. 4, line 9).

Regarding claim 30, Tucker et al. teaches a method to facilitate secure communication from a first user-level process in a system in which the first process is operable to communicate directly with hardware, comprising:

- Storing an outgoing message received directly from the first process in an associated storage device, the outgoing message including a message key having a key value (fig. 2, ref. num 122 and 160); and
- Controlling sending of the stored message to a second process based on the value of the message key relative to a predetermined at least one key value associated with the storage device, the at least one key value associated with the storage device being unavailable to the first process (fig. 3A, ref. num 174 to fig. 3B, ref. num 174 and col. 8, lines 22-47).

Regarding claim 31, Tucker et al. teaches further comprising associating an attribute with the storage device that is operable to define a valid range of key values based on the at least one key value associated with the storage device, and controlling sending of the stored message from the storage device based on the message key thereof and the defined valid range of key values (col. 3, line 66 through col. 4, line 9).

Regarding claim 32, Tucker et al. teaches wherein the attribute has selectable attribute conditions not available to the first process, the valid range of key values varying as a function of the attribute conditions and the at least one key value associated with the storage device (col. 3, line 66 through col. 4, line 9).

Regarding claim 33, Tucker et al. teaches further comprising validating the message key relative to the at least one key value associated with the storage device, and, upon detecting an invalid message key, preventing the stored message from being sent from the storage device (col. 3, lines 54-65).

***Claim Rejections - 35 USC § 103***

6. Claims 3, 4, and 16-19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Tucker et al. (USPN '911) in view of Neal et al. (U.S. Patent No. 6,766,467).

Regarding claim 3, Tucker et al. teaches all the limitations of claims 1 and 2, above. However, Tucker et al. does not teach wherein the at least one storage device further comprises at least one queue operative to store messages being sent by the associated process.

Neal et al. teaches wherein the at least one storage device further comprises at least one queue operative to store messages being sent by the associated process (fig. 6, ref. num 620).

Art Unit: 2136

It would have been obvious to one of ordinary skill in the art, at the time the invention was made, to combine the storage device containing at least one queue to store outgoing messages, as taught by Neal et al., with the system of Tucker et al. It would have been obvious for such modifications because storage allows multiple messages to be prepared for sending.

Regarding claim 4, the combination of Tucker et al. in view of Neal et al. teaches wherein the at least one queue further comprises at least two queues, one of the at least two queues being operative to store messages being sent by the associated process and another of the at least two queues being operative to store messages being sent to the associated process (see fig. 6, ref. num 624 and 626 of Neal et al.).

Regarding claim 16, Tucker et al. teaches all the limitations of claims 12-14, above. However, Tucker et al. does not teach wherein the attribute is set to have one of at least a first condition and a second condition.

Neal et al. teaches wherein the attribute is set to have one of at least a first condition and a second condition (col. 9, line 45 through col. 10, line 34).

It would have been obvious to one of ordinary skill in the art, at the time the invention was made, to combine an attribute with at least two conditions, as taught by Neal et al., with the system of Tucker et al. It would have been obvious for such

Art Unit: 2136

modifications because the two conditions provide a selection of either working or not working.

Regarding claims 17 and 19, the combination of Tucker et al. in view of Neal et al. teaches wherein the interface is operative to prevent the stored request from being sent from the first queue if the attribute has the [first/second] condition and the key has a value that agrees with the at least one key value associated with the first queue (see col. 3, lines 54-65 of Tucker et al.).

Regarding claim 18, the combination of Tucker et al. in view of Neal et al. teaches wherein the interface is operative to permit the stored request from being sent from the first queue if the attribute has the first condition and the key has a value that disagrees with the at least one key value associated with the first queue (see col. 2, lines 30-47 of Tucker et al.).

### ***Response to Arguments***

7. Applicant argues:

- a. Tucker et al. does not teach a filter that controls the sending of a message based on the key value of the outgoing message and one of the attribute conditions (page 10 through page 12, second paragraph).

- b. The dependent claims taught by the combination of Tucker et al. and Neal et al. do not fix the deficiencies of the independent claims (page 12, third paragraph through the end).

Regarding argument (a), examiner disagrees with applicant. The use of the filed descriptor (figure 1) represents the key value(s) as explained on column 3, lines 54-65. The handler procedure represents the selectable attribute as explained on column 4, lines 46-55. The handler has selectable attributes because of its use of invocation and argument passing. Different arguments can be passed and are therefore selectable attributes. The combination of the handler procedure 122 and the file descriptors 154 create a secure communication. See column 7, lines 1-9.

Regarding argument (b), examiner disagrees with applicant. Based on the response by examiner for argument (a), above, the dependent claims stand as rejected.

### ***Conclusion***

8. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any

Art Unit: 2136

extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Brandon S. Hoffman whose telephone number is 571-272-3863. The examiner can normally be reached on M-F 8:30 - 5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ayaz R. Sheikh can be reached on 571-272-3795. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

*Brandon S. Hoffman*

BH

CHRISTOPHER REVAK  
PRIMARY EXAMINER

*CEL 5/4/00*